

CRANE FLEX G750DBL

LIFTING CAPACITY 750 KG




MOTORISED COUNTERBALANCED SWIVEL CRANE

ELECTRIC LIFT/LOWER/EXTEND/RETRACT THROUGH CONTROL LEVERS AT ADJUSTABLE SPEED




Model		FLEX G750DBL
Drive		Electric
Rotation		270° manual - slewing bearing system
Arm lifting		Electric – control lever
Arm lowering		Electric – control lever
Arm extension		Electric – control lever
Width with arm not rotated	mm/inch.	990 / 39
Width with arm rotated at 90°	mm/inch.	1040 / 41
Max capacity with standard arm	Kg / lbs.	750 / 1653 * see load chart below
Weight of the crane (counterweight incl.)	Kg / lbs.	1300 / 2866
Battery type standard		Maintenance free AGM
Batteries nos.	pcs	2
Battery voltage / nominal capacity	V / Ah	12 / 120
Lifting motor	W	800
Traction motor	W	1000

CRANE FLEX G750DBL MAIN DIMENSIONS




CRANE FLEX G750DBL

DETAILED DIMENSIONS WITH STANDARD ELECTRIC TELESCOPIC DOUBLE BOOM FULLY EXTENDED



CRANE FLEX G750DBL MAIN DIMENSIONS



CRANE FLEX G750DBL

LOAD CHART WITH STANDARD ELECTRIC TELESCOPIC DOUBLE BOOM

