

## CRANE FLEX F1000DBR




LIFTING CAPACITY 1000 KG

**MOTORISED COUNTERBALANCED CRANE WITH RIGID ARM AND DOUBLE TELESCOPIC BOOM  
ELECTRIC LIFT/LOWER/EXTEND/RETRACT THROUGH PUSH BUTTON REMOTE CONTROL  
AT ADJUSTABLE SPEED**




| Model                                     |           | FLEX F1000DBR                      |
|-------------------------------------------|-----------|------------------------------------|
| Drive                                     |           | Electric                           |
| Rotation                                  |           | Rigid arm                          |
| Arm lifting                               |           | Electric – remote control          |
| Arm lowering                              |           | Electric – remote control          |
| Arm extension                             |           | Electric – remote control          |
| Width                                     | mm/inch.  | 780 / 30                           |
| Max capacity with standard double boom    | Kg / lbs. | 1000 / 2204 * see load chart below |
| Weight of the crane (counterweight incl.) | Kg / lbs. | 1600 / 3527                        |
| Battery type standard                     |           | Maintenance free AGM               |
| Batteries nos.                            | pcs       | 2                                  |
| Battery voltage / nominal capacity        | V / Ah    | 12 / 120                           |
| Lifting motor                             | W         | 800                                |
| Traction motor                            | W         | 1200                               |

## CRANE FLEX F1000DBR MAIN DIMENSIONS



## CRANE FLEX F1000DBR DETAILED DIMENSIONS WITH STANDARD TELESCOPIC ELECTRIC DOUBLE BOOM



## CRANE FLEX F1000DBR LOAD CHART

